


DIGITUS® PCI Express Card, Firewire 1394a (3+1 ports)

DS-30201-5

EAN 4016032442592



IEEE 1394a Interface Card, PCIeexpress, 4 Port 1x ext. 1394mini, 2x ext./1x int. 1394a Ports

With this IEEE 1394a / Firewire express card you can easily extend your PC system by four additional IEEE 1394 ports. Thus, it supports data transfer rates of 100/200/400 Mbps and can be easily installed in any available PCI express slot with different lane width, thanks to the integrated Hot Swap- and Plug&Play-function.

Equip your PC with four additional IEEE 1394-ports!

- Two external 1394a, one external 1394mini port + additional internal 1394a port incl. 4-pin power supply
- Installs in any available PCI-Express slot with different lane width

- Supports hot-swapping and Plug & play connections
- Data transfer rate 100Mbps / 200Mbps / 400Mbps
- Operating temperature: 0 °C - 70 °C
- Operating humidity: 25% - 65% RH (non-condensing)
- Supports Windows 10, 8, 7, Vista and XP

Package contents

- 1 x PCI Express Card, Firewire 1394a (3 +1 ports)
- 1 x Firewire 400 connection cable, 4pin/M - 6pin/M, 0.7m
- 1 x Low profile bracket
- Manual

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	40	8.40	38.00	28.00	30.00	31,920.00
Packaging Unit Inside	1	0.21	20.00	19.00	5.50	2,090.00
Packaging Unit Single	1	0.21	14.30	3.00	17.00	729.30
Net single without Packaging	1	0.16	14.30	3.00	17.00	729.30

More images:



Safety notes

- Switch off the computer completely and disconnect it from the power supply before installing or removing the network card.
- Static discharge can damage the product or the PC. Take measures against static discharge (ESD) when installing the product, e.g. wear an antistatic wrist strap.
- Before installation, touch the metal surface of the PC housing or another grounded object to ground any ESD charge via the housing.
- Avoid using too much force when connecting the product to the PC.
- Please ensure that any cables are connected correctly without overstretching or damaging them.
- Avoid touching the contacts of the product with your fingers to prevent corrosion or static charge.

EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH
 Auf dem Schüffel 3
 Lüdenscheid, Germany
<https://www.assmann.com>
info@assmann.com