

Wall Mounting Cabinets IP55 - Outdoor - 600x600 mm (WxD)

DN-19-22U-6-6-I-OD
EAN 4016032429746



22U wall mounting cabinet, outdoor, IP55 1157x600x600 mm, color grey (RAL 7035)

The 483 mm (19") IP55 Outdoor Wall Mounting Cabinets are designed for industrial applications. They are based on the IP55 safety class which is conform to the EN 60529 and are therefore protected against water-and dirt ingress. Best performance is provided e.g. via the 3-point-locking system with lockable swing handle and isolated cable entries. Integrated air ventilation inlets ensure the entry of fresh air (protection against water and dust acc. to IP54). Application areas are open areas which are under the effect of the environment (Rain, dust, sleet, snow, and splashing water). The cabinets can be used together with a plinth for free stand applications (rear holes for wall mounting can be closed via plugs that are taken from the base of the cabinet when installing the plinth).

The DIGITUS® IP55 Outdoor Wall Mounting Cabinets are designed for industrial applications with protection against water and dust acc. to safety class IP55.

- As calhas de perfil de 483 mm (19") podem ser ajustadas em profundidade e estão providas com marcação da unidade de altura
- Folha de aço resistente de 1,5 mm com uma grande capacidade de carga e revestimento de pó
- Folha de aço resistente de 1,5 mm com uma grande capacidade de carga e revestimento de pó
- IP protection class: IP55
- Color: light grey, RAL 7035
- Depth: 600 mm
- Front door: Steel door, closed, single opening
- Units: 22
- Load capacity: 100 kg
- Mounted: no
- Cabinet type: Wall mounting cabinet, outdoor
- Width: 600 mm

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm ³
Packaging Unit Carton	1	60.00	65.00	65.00	120.70	509,958.00
Packaging Unit Inside	1	60.00	65.00	65.00	120.70	509,958.00
Packaging Unit Single	1	60.00	65.00	65.00	120.70	509,958.00
Net single without Packaging	1	59.00	60.00	60.00	115.70	416,520.00