# DIGITUS Variable Notebook Stand with integrated USB-C<sup>™</sup> Docking Station, 8 Port

DA-90408 EAN 4016032474616



#### USB-C Dock (8-Port) with Notebook Riser silver/white

The adjustable notebook stand from DIGITUS® combines ergonomic design and connectivity in one convenient unit. You can easily adjust the angle of inclination to your height in 4 levels. Your notebook can be connected via the USB-C<sup>™</sup> port, allowing you to access all interfaces of the integrated docking station. On the front side there is a fully functional USB-C<sup>™</sup> port, two USB A ports (USB 3.0) and a card reader for SD and microSD cards. On the back side it is possible to connect two monitors (HDMI + VGA), an RJ45 network cable (LAN) as well as a USB-C<sup>™</sup> power adapter that can deliver charging power (Power Delivery) for devices such as a connectivity in a single unit with the DIGITUS® notebook stand with integrated docking station.

## Notebook stand with integrated docking station – unites ergonomic design and connectivity in a portable solution

- 1 x HDMI port: 4K / 30 Hz
- 1 x VGA connection: 1080p
- 1 x RJ45 connection: Gigabit Ethernet interface with 10/100/1000 Mbps bandwidth (LAN)
- 1 x USB-C<sup>™</sup> connection: USB 3.1 Gen 1
- 1 x USB-C<sup>™</sup> connection: Power Delivery (85 W max.)
- 2 x USB A connections: USB 3.0, SuperSpeed, 5 Gbps (5 V / 0.9 A)
- 1 x Card reader: SD & microSD card slot, 90 MB/s max.
- HDMI version: 1.4

- - HDMI resolution: 4K 1 monitor / 1080p 2 monitors
  - VGA resolution: Full HD (1080p)
  - Simultaneous use of HDMI + VGA = Clone desktop
  - Individual use of HDMI or VGA = Extend / Clone desktop
  - Compatible with notebooks, tablets from many manufacturers
  - Suitable for notebooks with a screen diagonal of 10" 15"
  - Slim frame design for optimal notebook cooling
  - Adjustable angle of inclination: 15°, 20°, 25°, 30°
  - Frame material: Aluminum
  - Dimensions: W 25.7 x D 23 x H 26.5 cm
  - Weight: 445 g
  - Manufacturer's notice:
  - Not all USB-C<sup>™</sup> ports support all the features of the USB Type-C<sup>™</sup> standard. Make sure that your notebook's USB-C<sup>™</sup> port supports the DisplayPort Alternate Mode (DP Alt Mode) as well as USB Power Delivery (PD).
  - An optional power adapter is required in order to use the charging function via Power Delivery.

#### Attributes

- Style: Notebook Riser
- Package contents
  - intrage contents
- 1 x Notebook Stand with Integrated Docking Station, 8-Port

#### • 1 x QIG

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	20	14.50	38.50	53.10	30.60	62,557.10
Packaging Unit Inside	1	0.73	27.70	25.40	3.30	2,321.81
Packaging Unit Single	1	0.73	28.00	25.50	3.60	2,570.40
Net single without Packaging	1	0.45	23.00	25.70	26.50	0.00

1



More images:



#### Safety notes

- Please read the entire manual before starting assembly and installation. Please contact your local dealer if you have any questions about the instructions or warnings.
- · CAUTION: Use with products that exceed the permitted weight may result in damage or possible injury.
- Brackets should be fitted in accordance with the installation instructions. Incorrect installation can result in damage or injury.
- Use safety equipment and suitable tools. The product should only be installed by specialists.
- This product can be installed on timber-framed, solid concrete or stone walls.
- The load-bearing surfaces should be able to safely withstand the entire weight of appliances and all additional components.
- Only use the installation screws supplied and DO NOT TIGHTEN the screws TOO TIGHT.
- This product contains small parts that can cause a choking hazard if swallowed. Keep these parts away from children.
- Only use this product indoors. Using the product outdoors can lead to injuries and damage.
- IMPORTANT: Before installation, please check all components received against the components list. If parts are damaged or missing, ask your local dealer for replacement parts.
- MAINTENANCE: Check the bracket regularly for safety and stability (preferably every three months).

### EU responsible person

EU based economic operator ensuring the product complies with the required regulations.

ASSMANN Electronic GmbH Auf dem Schüffel 3 Lüdenscheid, Germany https://www.assmann.com



info@assmann.com